### **BID SOLICITATION NOTICE**

TO RECEIVE A BID PACKAGE, BIDDER MAY EITHER DOWNLOAD THE BID FROM THE AUTHORITY'S WEBSITE AT http://www.state.nj.us/turnpike/purchasing.html OR REQUEST A BID BY COMPLETING THIS FORM AND FAXING IT TO THE NUMBER STATED BELOW FOR RECORD KEEPING PURPOSES. WE REQUEST THAT THE BIDDER COMPLETE THIS FORM AND RETURN TO US, EVEN WHEN BIDDER IS DOWNLOADING THE BID. THIS IS THE ONLY NOTICE OF BIDDING FOR THE FOLLOWING GOODS / SERVICES YOU WILL RECEIVE.

# THE NEW JERSEY TURNPIKE AUTHORITY PROCUREMENT AND MATERIALS MANAGEMENT DEPARTMENT

P.O. Box 5042 581 Main Street Woodbridge, New Jersey 07095-5042 Tel. - 732-750-5300 Fax - 732-750-5399

### **INVITATION TO BID**

TITLE: SWEEPER/SCRUBBER

BID NO: R-93964

**DUE DATE: 7/24/12** 

TIME: 11:00 AM

## SUBMIT BIDS BEFORE THE DUE DATE AND TIME TO THE ABOVE ADDRESS BIDDER INFORMATION (PLEASE PRINT)

NAME OF BIDDING ENTITY

ADDRESS

CITY, STATE AND ZIP CODE

E-MAIL ADDRESS

REPRESENTATIVE TO CONTACT-NAME & TITLE

TELEPHONE NO.

FEDERAL TAX I.D. NO. or TAXPAYER I.D. NO. FAX NO

☐ WE HAVE DOWNLOADED THE BID FROM THE AUTHORITY WEBSITE

## THE NEW JERSEY TURNPIKE AUTHORITY

### PROCUREMENT AND MATERIALS MANAGEMENT DEPARTMENT

P.O. Box 5042 581 Main Street Woodbridge, New Jersey 07095-5042 Tel. - 732-750-5300 Fax - 732-750-5399

### **INVITATION TO BID**

TITLE:	SWEEPER / SCRUBBER	
--------	--------------------	--

BID NO: R-93964

**DUE DATE: 7/24/12** 

**TIME:** 11:00 AM

### SUBMIT BIDS BEFORE THE DUE DATE AND TIME TO THE ABOVE ADDRESS

# BIDDER INFORMATION (TO BE COMPLETED BY THE BIDDER)

Please Print

NAME OF BIDDING ENTITY	
ADDRESS	
CITY, STATE AND ZIP CODE	
E-MAIL ADDRESS	
E-WAIL ADDRESS	
REPRESENTATIVE TO CONTACT-NAME & TITLE	TELEPHONE NO.
FEDERAL TAX I.D. NO. or TAXPAYER I.D. NO.	FAX NO.
BUSINESS CORPORATIONPARTNERSHIP_	INDIVIDUAL
OTHER (SPECIFY):	

### BIDDER GUIDELINES/CHECKLIST

PURSUANT TO N.J.S.A. 27:23-6.1 AND N.J.A.C. 19:9-2.1 et seq. BID PROPOSALS WHICH FAIL TO CONFORM TO THE FOLLOWING REQUIREMENTS MAY BE REJECTED:

- 1. Bid proposals must be received at or before the public opening time stated on the cover page at the following place: New Jersey Turnpike Authority, Administration Building, 581 Main Street, Woodbridge, New Jersey 07095. Telephone or Facsimile proposals will not be accepted. The accompanying self-addressed envelope should contain or be attached to the bid proposal.
- 2. The bid proposal must include all price information. Proposal prices shall include delivery of all items F.O.B. destination or as otherwise provided. Price quotes must be firm through issuance of contract.
- 3. All bid proposal prices must be typed or written in ink. Quote the specified unit of measure. If bidding an alternate, provide detailed specifications.
- 4. All corrections, white-outs, erasures, re-striking of type, or other forms of alteration or the appearance of alteration, to unit and/or total prices must be initialed in ink by the bidder.
- 5. See the Authority's Instructions to Bidders (attached) for a complete list of the Authority's standard contract Terms and Conditions, as well as REQUIRED FORMS that must be included with the bid proposal or the bid will be rejected.
- 6. Bidders shall include the following documents with their bid:
  - (a) State of New Jersey Division of Revenue Business Registration Certificate(s)
  - (b) Certification of Registration with the Secretary of State (only if a foreign (non-NJ) corporation)
  - (c) Acknowledgement of Requirement for Disclosure of Political Contributions (ELEC)
  - (d) Public Works Contractor Registration Certificate(s) (if applicable)
  - (e) Affirmative Action Information Sheet with Certificate or Form AA302
  - (f) Signed Mandatory Equal Employment Opportunity Language
  - (g) SBE/WBE/MBE Certificates and Form
  - (h) Vendor Disclosure Form (EO129 Location of Services)
  - (i) Notice of Set-Off for State Tax (P.L. 1999, c.159)
  - (j) Automobile Waiver
  - (k) Insurance Requirement
- 7. This Request for Bids requires the following Mandatory Documents or the bid will be rejected:

Stockholder/Partnership Disclosure Statement

8. Bidder must sign the Bid

### REQUEST FOR BIDS THIS IS NOT AN ORDER

Sealed Bids R-93964 will be received at the New Jersey Turnpike Authority Administrative Offices, 581 Main St., Woodbridge, New Jersey, as stated on the cover page at which time and place said bid will be publicly opened and read. Bidders mailing bids should allow for their normal mail delivery time to ensure timely receipt of their Public Bids. Please be advised that using overnight/next-day delivery service does not guarantee overnight/next-day deliveries to our location. The Authority will not be responsible for any bid not being received by the required date and time.

### **INTENTION**

It is the intention of the Authority to issue a Purchase Order for the purchase of **SWEEPER** / **SCRUBBER AS PER ATTACHED SPECIFICATIONS.** Items purchased under this Contract will be delivered as directed by the Authority. The term of the contract shall be for one year with the option to extend for two additional one-year terms at the Authority's discretion and Vendor's concurrence. Please contact Richard Bava with any questions regarding this procurement at 732-750-5300 X 8636.

### **BID SHEET INSTRUCTIONS**

Prospective Bidders should follow all instructions in this Request for Bids and in the standard Instructions to Bidders issued by the Authority, and any other documents issued by the Authority in connection with this Request for Bids (collectively, "Bid Documents"). Prospective Bidders must examine the Bid Documents carefully before bidding and must ask the Director of Purchasing in writing for any interpretation or correction of any apparent ambiguity, inconsistency or apparent error therein. Any written request for interpretation or correction shall be directed to the Director of Purchasing. Written requests can be submitted by FAX at 732-750-5399. If necessary, an interpretation or correction shall be issued by the Director of Purchasing as an Addendum and FAXED to prospective Bidders who have obtained the Bid Documents. Upon the issuing of an Addendum, the content of the Addendum shall become part of the Bid Documents. Requests for interpretation or correction shall be considered only if received at least 5 business days prior to the bid opening date.

Only written interpretations or corrections issued by the Director of Purchasing by Addendum shall be binding.

The submission of the Bid is conclusive evidence that the Bidder is fully aware of the conditions, requirements, and details as stated in the Bid Documents. If the Bidder, prior to submitting its Bid, fails to notify the Director of Purchasing of the existence of an ambiguity, inconsistency in the Bid Documents, a Bid will conclusively be presumed to have been based upon the interpretation of such ambiguity or inconsistency.

All erasures, interpolations or other physical changes on the Bid form shall be signed or initialed by the bidder. Bids containing any conditions, omissions, erasures, alterations, or items not called for in this Request for Bids, or irregularities of any kind, may be rejected by the Authority, in its sole discretion, as being incomplete. The bidders shall not attach conditions, limitations or provisos to their Bid, except in cases where "Exceptions" are permitted.

<u>The Authority will accept Approved Equivalent items on this bid</u>. If a bidder is basing the proposal on items other than what is specified, and wishes the items he proposes to be considered as an "Approved Equivalent," the Bidder shall enter a price on the bid sheet then submit on the Exception Sheet in the exact format of the line item on the Request for Bids contained herein, the item number, an item description, including manufacturers name, model number, and packaging quantities of those Items which the Bidder proposes to substitute.

Bidders must quote only one price <u>per line item</u>. <u>If a bidder quotes multiple prices per line item</u>, the <u>bid proposal may be rejected</u>. All items are to be bid FOB Destination. All shipping, handling, and other costs should be considered in the bid price.

## **REQUEST FOR BIDS**

## **MATERIAL AND SERVICE DESCRIPTION**

ITEM	QUAN.	UNIT	DESCRIPTION	UNIT	TOTAL
		OF		PRICE	BID PRICE
		MEAS.			
1	1	EACH	SWEEPER / SCRUBBER AS PER ATTACHED SPECIFICATIONS.	\$	\$
			THE THE STEET STEET STEET STEET		

# Contract award, if any, will be to the responsive, responsible bidder summiting the lowest Total Bid Price.

# ANY INQUIRIES CONCERNING THIS BID MUST BE SENT VIA FAX NO LATER THAN FIVE (5) BUSINESS DAYS BEFORE BID OPENING

DELIVERY DATE, to sites as specified in the bid specifications. Discount Terms Based On Net 30 Days Only.
NEW JERSEY TURNPIKE AUTHORITY
AUTHORIZED SIGNATURE
Name of Company and / Authorized Signature of Bidder

## **SIGNATURE PAGE**

Receipt of Addendum / Inquiries #	· • • · · ·	
acknowledged.		•
Receipt of Addendum / Inquiries #	dated	is hereby
acknowledged.		
CHECK BOX IF NO ADDENDA/	INQUIRY ISSUED	•
(All Addenda / Inquiries must be acknow	eledged as indicated	above.)
BID IRREVOCABLE: This offer shall		
on which the Authority publicly opens		
bidder has filed a Protest pursuant to N.J. required to hold their prices for an additi		
action taken by the Authority.		
OFFER/CERTIFICATION: The und	lersigned offers and	agrees to furnish to the New Jersey
Turnpike Authority the services and/o	or materials in cor	mpliance with all terms, conditions,
specifications and addenda of the RFB,	*	C
further certifies understanding and com conditions as stated in the Instruction	=	=
undersigned certifies that he or she exc		
statements contained in this bid and in		
knowledge that the Authority relies upo statements requested by the Authority sho		The state of the s
		<u> </u>
I certify that the foregoing statements ma statements made by me are willfully false		•
AUTHORIZED SIGNATURE:		
Print Name and Title:		
Bidding Entity:		
Address:		
City, State, Zip:		
Telephone #:	Fax:	
Dotor #		

### NEW JERSEY TURNPIKE AUTHORITY

## NO RESPONSE BID SURVEY

**BID REQUISITION NUMBER: R-93964** 

**BID TITLE: SWEEPER / SCRUBBER** 

If you do not choose to respond to this Bid, please complete the form below: Name of Company\_\_\_\_\_ Reason you did not respond (Check all that apply) Cannot supply product or service Cannot meet technical specifications Cannot meet delivery specifications Cannot meet legal requirements (i.e. bid/performance/security/insurance, etc.) Cannot provide a competitive price at this time Interested in receiving specifications for informational purposes only. Insufficient lead time to respond Other:(please be specific) Do you wish to remain on our mailing list? \_\_\_\_Yes \_\_\_\_No Additional comments: \_\_\_\_\_

Signed :(optional)\_

Company:\_\_\_\_\_

### ADDITIONAL YEARS PURCHASING OPTION, for R-93964

### SWEEPER / SCRUBBER

3- Year Open End Option: The Authority shall have the option for one (1) Model Year\* from the date of Contract, to order additional units conforming to the requirements of these specifications at the same price and under the same terms and conditions as those required herein.

The Authority shall further have the option to purchase additional units conforming to these specifications for two (2) additional Model Years. Any unit(s) offered during the two (2) subsequent Model Years shall be of the model equivalent to that specified herein. In the latter instances, if there have been any price changes in the two subsequent Model Years, the vendor shall submit a request to the Authority covering the aforesaid price changes, and shall include appropriate explanation and justification for any such price changes.

Any such request for price adjustment shall be in writing and directed to the Director, Purchasing Department and shall be accompanied by the following evidence as a basis for your request;

- 1. The published price lists for equipment, which were in effect at the time of your original proposal.
- 2. The equivalent published price lists in effect at the time of your request.
- 3. Any additional evidence which the Authority deems necessary in the evaluation of your request.

The Authority shall, within its sole discretion, have the right to accept the price changes proposed by the vendor or if it is so desires re-bid the requirement.

*Model Year is defined as the Model Year of the Manufacturer of the unit(s) offered by
you in this Request For Quotation. In that instance where proposals are for equipment for
which "Model Year" and "Production Cut-Off Dates" are undefined or non-existent, the
"Model Year" is defined, for bid purposes, as one calendar year from the date on which
the Contract is accepted. The last date on which orders may be placed for the
Model currently in effect is

### **NEW JERSEY TURNPIKE AUTHORITY**

# GENERAL INSTRUCTIONS AND SPECIFICATIONS FOR: INDUSTRIAL RIDE-ON SWEEPER SCRUBBER

Quantity	Description	Maximum Delivery Date
1	Industrial Ride-On Sweeper Scrubber	60 Days After Receipt of Order
	C 66 2012 GWEEDED GCDLIDDED	

SPECIFICATIONS: SS-2012 SWEEPER SCRUBBER

<u>COMPLIANCE WITH RULES AND REGULATIONS</u>: The unit and associated equipment furnished must comply with all Federal and State Motor Vehicle Safety Laws and Regulations and shall be capable of passing the New Jersey State Motor Vehicle Inspection Laws, where applicable.

ENERGY STAR REQUIREMENTS: If applicable for items specified in bid package, the vendor must provide products that earn ENERGY STAR and meet the ENERGY STAR specifications for energy efficiency. The vendor is encouraged to visit energystar.gov for complete product specifications and updated lists of qualifying products. The ENERGY STAR label must also be affixed to each delivered item. The bidder's signature on the signature page certifies that items so indicated that have earned ENERGY STAR and meet the ENERGY STAR specifications or other standards for energy efficiency will be supplied.

ERRORS AND OMISSIONS: Inadvertent omissions or errors in the attached specifications must be brought to the attention of the New Jersey Turnpike Authority's Director of Purchasing at 732-750-5300 before bid submission date. If the bidder discovers any errors or omissions in the work undertaken and executed by them, they shall also immediately notify Peter Perperas (Project Supervisor) at 732-442-8600 ext. 2868 who shall promptly verify the same. If, with knowledge of such error or omission and prior to the correction thereof, the bidder proceeds with any work affected hereby, they shall do so at their own risk and the work so done shall not be considered as work done under and in performance of this Agreement unless and until approved and accepted.

### **DELIVERY INSTRUCTIONS:**

- A. Vendor must contact Peter Perperas (Project Supervisor) at 732-442-8600 ext. 2868 for authorization to schedule date and time prior to delivery. Any work that needs to be completed including all pre-delivery preparation shall be done prior to delivery. **Deliveries shall be made to the NJTA Garden State Parkway Division Telegraph Hill Central Maintenance Facility located at GSP Exit 116 in Holmdel, NJ 07733.**
- B. Vendor shall be responsible for all delivery, shipping and pick-up expenses.

- C. The following administrative package <u>must</u> accompany all deliveries:
  - <u>Invoice</u>: purchase order number must be displayed on vendors invoice. Invoice shall have current date and be hand delivered to Peter Perperas after final acceptance of complete order.
  - Warranty forms properly executed.
  - Four (4) keys for each vehicle shall be furnished. **NO EXCEPTIONS**
  - Delivery of all units fully completed and fully compliant shall be made no later than sixty (60) days after receipt of Purchase Order.
  - In the event the vendor fails to timely deliver the units, the vendor shall pay the Authority liquidated damages in the amount of \$80.00 per unit for each calendar day (**No Exceptions for Liquidated Damages**) beyond the maximum delivery date, as per Dataquest's Rental Rate Blue Book for Construction Equipment.
- D. Deliveries made directly from the manufacturer to the Authority shall **not** be acceptable.

<u>WARRANTY</u>: All units delivered must be guaranteed to be free from defects in materials, design and workmanship for a minimum of one (1) year (see additional warranty coverage's in specification) from the time of acceptance by the New Jersey Turnpike Authority. All warranties shall start upon written acceptance of units by the New Jersey Turnpike Authority. Warranty must include service availability from any manufacturers authorized dealer establishment most closely located to Parkway and Turnpike area. This repair facility may not be further than 100 miles from Telegraph Hill Central Maintenance Facility in Holmdel, NJ 07733 or Central Shops Maintenance Facility located in Hightstown, NJ 08520. If warranty service is required, the vendor who supplied the unit shall provide for pickup, delivery and repair of unit at no charge to the New Jersey Turnpike Authority. The vendor shall also have a program to include an in-house warranty. All warranty periods shall start from date of acceptance of unit by the New Jersey Turnpike Authority.

EXCEPTION SHEET: Exception sheet is furnished with each set of specifications. Bidders making exceptions must note exceptions by item and indicate substitution in lieu and submit with bid, detailed specifications on the substitution. If the vendor is submitting an alternate product, component, feature or part to what is referenced in the specifications, the proposals <u>must</u> be accompanied by descriptive literature, marked and indicate the exact items to be furnished, with an engineering drawing of the same. Failure to supply information requested may result in rejection of bid. Where no exception is taken, the word "None" shall be neatly printed or typed on the exception spaces in the prescribed manner may disqualify bid. It shall be understood that if no exception is taken, the vendor shall supply all material exactly as specified. No substitution will be permitted after receipt of bids.

<u>UNIT INFORMATION FORM</u>: Vendor shall complete the entire Unit Information Form. **Failure to complete form may result in rejection of bid.** 

<u>MANUFACTURER'S PRODUCTION SHEET</u>: The vendor shall furnish one (1) copy of the actual Factory Production Sheet for each unit provided. The copies of the Factory Production Sheet shall be submitted at the time of the Authority's inspection of the unit.

TRAINING: It shall be the responsibility of the successful bidder to supply all safety, operational and service training to New Jersey Turnpike Authority personnel in accordance with all applicable ANSI and OSHA regulations. The safety and operational training shall consist of a complete review and understanding of the manufacturer's owner manual, along with actual operation of equipment. The instructor shall emphasize all proper uses for safe operation. The training shall include but not limited to all general troubleshooting of the hydraulic system and associated electronics. The instructor shall also emphasize the proper use of tools and test equipment along with general shop safety. The service seminars shall be similar to factory and manufacture type schools. The training shall be scheduled and take place at one (1) site consisting of at least eight (8) hours designated by the New Jersey Turnpike Authority.

<u>LABELS</u>: Plastic stick-on labels shall <u>not</u> be acceptable.

<u>ADVERTISEMENTS</u>: No <u>Dealer</u> advertisements shall appear on unit or any other related equipment.

<u>ACCESSORIES</u>: All accessories shall be manufacturer installed when the item is available from the manufacturer.

<u>FACILITIES</u>: Bidders shall represent a manufacturer, which has in operation a factory adequate for the manufacture of the equipment, which it proposes to furnish. The manufacture(s) whose associated equipment or products are bid shall have a full service warranty and parts supply facility that can guarantee availability of parts within 24 hours after telephone order and shall be located within a 100 mile radius of either Central Shops Maintenance Facility (exit 8 on the NJ Turnpike) located in Hightstown, NJ 08520 or Telegraph Hill Central Maintenance Facility (exit 116 on the GSP) located in Holmdel, NJ 07733. This facility will be required to establish an in-house warranty program and provide all warranty work related to the equipment in the bid proposal. The bidder shall submit the locations, names and telephone numbers of people who are authorized to service the equipment or who can be reached for emergency service.

Location		
Phone #		
Contact		
	Noma & Titla	

Name & Title

### SPECIFICATIONS: SS-2012 SWEEPER SCRUBBER

<u>INTENT</u>: The intent of this specification is to describe and govern the purchase of a 2012 or new current model propane-powered industrial ride-on sweeper scrubber. The unit shall be new and of the latest design and be in current production at time of submission of bid. All standard and optional equipment shall be Original Equipment Manufacturer (OEM).

### **BIDDER'S INSTRUCTIONS**

IT SHALL BE THE BIDDER'S RESPONSIBILITY TO CAREFULLY EXAMINE EACH ITEM OF THE SPECIFICATION. BIDDERS MUST INDICATE WHETHER THEY COMPLY OR NON-COMPLY FOR EACH LINE ITEM IN THE SPECIFICATION. FAILURE TO PROVIDE A COMPLETED BID MAY CAUSE REJECTION OF BID. ALL NON-COMPLY RESPONSES AND/OR **BIDDERS PROPOSED** "APPROVED EQUIVALENTS" MUST BE FULLY EXPLAINED ON EXCEPTION FORM, NOTING SECTION AND ITEM. FAILURE TO EXPLAIN NON-COMPLY RESPONSES OR FAILURE TO SUPPLY DETAILED LITERATURE/BROCHURES ON THE BIDDERS PROPOSED "APPROVED EQUIVALENTS" MAY CAUSE REJECTION OF BID. WHERE "MINIMUM/MAXIMUM" IS SPECIFIED, BIDDERS MUST PROPOSE AT LEAST THE MINIMUM/MAXIMUM SIZES OR THE BID MAY BE REJECTED.

**COMPLY GENERAL:** NO YES A. 2012 or new current model propane-powered industrial ride-on sweeper B. The unit shall be new and of the latest design and be in current production at time of submission of bid. C. Bidders must provide detailed specifications, technical sheets, pictures, and brochures describing exact unit and equipment that shall be provided. D. All standard and optional equipment shall be Original Equipment Manufacturer (OEM). **DIMENSIONS:** A. Dimensions of the unit: • Weight-3,100 lbs. • Length-95" • Width-54" Height-58" • Turning radius-101" **CHASSIS:** A. Chassis frame shall be at least 7-gauge steel design. B. Tires shall be 16" solid non-marking type (pneumatic tires shall not be acceptable). C. Unit shall be rear drive propelled.

D. Haavay districtional hymnigh		
D. Heavy-duty front bumper.		
ENGINE:	_	
A. 55 horsepower minimum LPG engine.		
B. 2-stage air cleaner.		
C. Oil cooler.		
D. Remote oil drain plug.		
SPEEDS:	_	
A. Travel: 8 mph.		
B. Operating: 0-8 mph.  TRANSMISSION & HYDRAULICS:		
A. Power steering.		
B. Unit shall have hydrostatic drive.		
C. Easy access hydraulic filter replacement.		
D. Single foot pedal control for forward/reverse.		
E. Hydraulic reservoir shall be of sufficient size and capacity to fully		
accommodate all functions on unit efficiently.		
F. Hydraulic reservoir shall be equipped with filter element, fill strainer, fill		
level dipstick, and easy empting drain plug.		
G. Hydraulic cooler shall be located by engine radiator.  BRAKES:		
A. Dynamic breaking.  B. Combination of drum and hydrostatic breaking.		
C. Manufacturers standard parking brake.		
ELECTRICAL:	_	
A. One (1) 12-volt maintenance free battery, 650 CCA.		
B. Alternator: 40-amp minimum.		
C. Wiring harness shall be color-coded and numbered.		
<del>-</del>		
D. Unit shall have halogen type headlights, turn signals, 4-way flashers, and		
rear stop lights.  E. Lighting shall comply with New Jersey DOT Regulations.		
INSTRUMENTS:		
A. Standard instrument and warning package.		
B. Low oil and high temperature engine shutdown.		
C. Gauges:		
<ul><li>Coolant temperature</li></ul>		
Alternator charge		
Mileage & speed     Oil grassyge		
Oil pressure		
Hour meter  I DOG 6 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1:		
Low LPG fuel indicator light		
Clogged vacuum filter indicator light      All and a second and a		
D. All controls and gauges shall be clearly identified and be marine quality		
(weatherproof).		
PROPANE TANKS:		
A. One (1) standard propane tank shall be filled and attached to unit ready		

for operation.	
B. One (1) additional standard propane tank shall be supplied (empty).	
BRUSHES & BROOM:	
A. Three (3) 16" disc diameter scrubbing brushes (46 grit) with 350 lbs. of	
down pressure at 300 rpm.	
B. One (1) 48" cylindrical scrub brush (46 grit) providing 150 lbs. of down	
pressure at 450 rpm. Cleaning solution shall be dispensed under pressure	
through jets spread evenly across this main scrub brush.	
C. Cylindrical sweep scrub broom shall wet sweep debris forward.	
D. Brushes and brooms shall be able to be changed without the use of tools.	
E. Water shall be able to be used independently for each scrub function or	
both at the same time.	
F. Sweeping path with side broom shall be at least 60" wide.	
SIDE BROOM:	
A. One (1) front right side mounted 16" disc diameter (46 grit) broom with	
solution feed system.	
B. Side broom shall be fully retractable for protection and shall permit at	
least 5" of reach beyond the frame of unit.	
C. A heavy-duty steel side broom guard shall be provided to protect side	
broom.	
D. Side broom shall be able to be changed without the use of tools.	
VACUUM & SQUEEGEE:	
A. Hydraulic impeller.	
B. Ball float to protect impeller shall be provided.	
C. Dust filters shall be able to be changed without the use of tools.	
D. Squeegee shall be a parabolic 50".	
E. Hydraulic squeegee lift (squeegee shall automatically lift when unit goes	
in reverse).	
F. Squeegee shall be equipped with adjustable caster wheel.	
G. Squeegee shall be protected with ¼" thick steel guards on each side of	
machine.	
H. Squeegee shall be able to be changed without the use of tools.	
DEBRIS HOPPER:	
A. Hopper shall be a minimum of 6 cubic feet capacity.	
B. Hopper shall be constructed of durable anti-corrosive lightweight	
aluminum.	
C. Dumping of hopper shall be done manually.	
D. Hopper shall be constructed of two (2) chambers (dual lift design, 3 cubic	
feet each) for easier dumping.	
SOLUTION/RECOVERY TANKS:	
A. Both tanks shall be designed of corrosion resistant polyethylene.	
B. Solution tank and recovery tank shall be 100 gallons capacity each.	
C. Unit shall be equipped with easy access caps for cleaning and discharge.	
D. Discharge hose shall be supplied for recovery tank.	
E. An outlet that shall fit a standard size garden hose shall be provided on the	

unit for quick and easy filling, which shall include a full-tank automatic	
shutoff valve.	
WATER RECOVERY RECYCLING:	
A. Water recovery recycling system shall be provided in unit.	
B. Recirculation and filtration of the 100 gallons of recovery water.	
OPERATOR'S COMPARTMENT:	
A. Unit shall be equipped with a soft-ride adjustable seat with seatbelt.	
B. Operator's controls shall be easily accessible.	
C. Horn.	
D. Cup holder.	
SPARE PARTS PACKAGE:	
A. The following spare parts shall be supplied at time of delivery of unit:	
• Four (4) 16" disc scrubbing brushes	
• One (1) 16" right side curb sweeping broom	
• One (1) 48" cylindrical scrub brush	
• One (1) complete squeegee set	
BACK-UP ALARM:	
A. Preco 45-AA back-up alarm shall be installed onto unit.	
FIRE EXTINGUISHER:	
A. 2½ lb. ABC type fire extinguisher shall be installed in operator's	
compartment on unit in a quick-release type bracket.	
PAINT:	
A. DuPont Dulux Omaha Orange Enamel # 93-082 or approved equivalent.	
The paint shall be applied in a two-step process with the orange base coat	
and additional polyurethane overcoat.	
B. All framework and running gear shall be painted flat black.	
RUSTPROOFING:	
A. Rustproof complete unit.	
B. A written warranty of the rustproofing shall be furnished upon delivery.	
WARRANTY:	
A. Unit must be guaranteed to be free from defects in materials, design, and	
workmanship for a minimum of one (1) year.	
B. Engine shall be warranted for a minimum of two (2) years/3,000 hours	
including parts and labor.	
C. All tanks shall be warranted for a minimum of ten (10) years parts and	
labor.	<u> </u>
D. All warranties shall commence upon acceptance by the New Jersey	
Turnpike Authority.	

### **UNIT INFORMATION FORM**

(Must be submitted by vendor with bid documents)

### **SWEEPER / SCRUBBER:**

YEAR:	MAKE:	MODEL:	
ENGINE N	MAKE:	MODEL:	
		HORSEPOWER	
TIRE SIZE F	RONT:		
TIRE SIZE R	EAR:		
	OR MAKE:	MODEL:	
$CCA @ O^{\circ}$	BATTERY VOLTS/AMI	PS:	
BACK-UP A	LARM MAKE:	MODEL:	
DISC SCRUI	BBING BRUSH SIZE:	INCHES	
RIGHT SIDE	CURB SWEEPING BROO	MINCHES	
MAIN CYLII	NDRICAL SCRUB BRUSH	:INCHES	
DEBRIS HO	PPER CAPACITY:	CUBIC FEET	
SERVICING AGENCY:			
LOCATED A	νΤ:		
TELEPHONI	E#:		
		Name & Title	

he Authority, and should include the item number, item description, manufacturer's n nodel number and packaging quantities of those items which the vendor proposes to substitute. Vendors may not use this form to attach conditions, limitations, or other pro-	ovisos
o their bid. Please be advised that any proposed equivalent or other exceptions that ar leemed to be a material deviation from the specifications shall be a mandatory cause for ejection of the bid and the vendor proceeds at its own risk.	
•	
Delivery Date Everyties	
Delivery Date Exception Warranty Date Exception	
Vendor's Name	
Signature of Vendor Responsible Officer	
Date	

 $\underline{E_{xception}\,F_{orm}}\text{: Vendors may list proposed equivalent items below for consideration by}$